

## 原著論文

- 1) A Retentive S<sub>N</sub>1 Hydrolysis in Aqueous Acrylonitrile and Polymerization of Acrylonitrile Initiated by the S<sub>N</sub>1 Hydrolysis Intermediate.  
K. Okamoto, K. Komatsu, and H. Shingu, *Bull. Chem. Soc. Jpn.*, **1966**, 39, 2785.
- 2) Kinetic Studies of Solvolysis. XIII. The Solvolysis of Optically-Active α-Phenylethyl Chloride in Binary Mixtures of Phenol and Water.  
K. Okamoto, M. Hayashi, K. Komatsu, and H. Shingu, *Bull. Chem. Soc. Jpn.*, **1967**, 40, 624.
- 3) Kinetic Studies of Solvolysis. XIV. The Solvolysis of Optically-Active α-Phenylethyl Chloride in Binary Mixtures of Methanol and Phenol.  
K. Okamoto, K. Komatsu, and H. Shingu, *Bull. Chem. Soc. Jpn.*, **1967**, 40, 1677.
- 4) One-Electron Reduction of Carbonium Ions. II. Reduction of the Tropylium Ion and the Triphenylmethyl Cation with Metallic Powders and Metallic Ions.  
K. Okamoto, K. Komatsu, and H. Shingu, *Bull. Chem. Soc. Jpn.*, **1969**, 42, 3249.
- 5) The Dissociation of 7-Triphenylmethyl-1,3,5-cycloheptatriene in *m*-Xylene.  
K. Okamoto, K. Komatsu, T. Kinoshita, and H. Shingu, *Bull. Chem. Soc. Jpn.*, **1970**, 43, 1901.
- 6) "One-Electron" Reducibility of the Substituted Tropylium Ions with the Chromous Ion.  
K. Okamoto, K. Komatsu, O. Murai, and O. Sakaguchi, *Tetrahedron Lett.*, **1972**, 4989.
- 7) One-Electron Reduction of Carbonium Ions. III. The Effect of Added Anions on the Rate of Reduction of the Tropylium Ion with Cr(II).  
K. Okamoto, K. Komatsu, S. Tsukada, and O. Murai, *Bull. Chem. Soc. Jpn.*, **1973**, 46, 1780.
- 8) One-Electron Reduction of Carbonium Ions. IV. A Kinetic Study on the Reduction of the Substituted Tropylium Ions with Cr(II).  
K. Okamoto, K. Komatsu, O. Murai, O. Sakaguchi, and Y. Matsui, *Bull. Chem. Soc. Jpn.*, **1973**, 46, 1785.
- 9) One-Electron Reduction of Carbonium Ions. V. A Kinetic Study on the Reduction of the Substituted Cyclopropenium Ions with Cr(II).  
K. Okamoto, K. Komatsu, and A. Hitomi, *Bull. Chem. Soc. Jpn.*, **1973**, 46, 3881.
- 10) One-Electron Reduction of Carbonium Ions. VI. The Trapping of the Cycloheptatrienyl Radical with 2-Methyl-2-nitrosopropane in the Course of the Zinc Reduction of the Tropylium Ion.  
K. Okamoto and K. Komatsu, *Bull. Chem. Soc. Jpn.*, **1974**, 47, 1709.

- 11) One-Electron Reduction of Carbonium Ions. VII. A Kinetic Study of the Reduction of the Aryl- and n-Alkyl-substituted Tropylium Ions with Cr(II).  
K. Okamoto, K. Komatsu, M. Fujimori, and S. Yasuda, *Bull. Chem. Soc. Jpn.*, **1974**, 47, 2426.
- 12) One-Electron Reduction of Carbonium Ions. VIII. The Reducibility of Hetero-substituted Tropylium Ions as Measured by the Competitive Reduction Method with Zinc Powder  
K. Okamoto, K. Komatsu, and O. Sakaguchi, *Bull. Chem. Soc. Jpn.*, **1974**, 47, 2431.
- 13) One-Electron Reduction of Carbonium Ions. IX. Formation of Intramolecular Cyclization Products by the Chromous-Ion Reduction of Polymethylenebistropylium Ions.  
K. Komatsu, M. Oshida, and K. Okamoto, *Tetrahedron Lett.*, **1976**, 4487.
- 14) One-Electron Reduction of Carbonium Ions. X. Conformational Effects of Cyclopropyl Group on the Rate of One-Electron Reduction of Cyclopropyltropylium Ion with Chromous Ion.  
K. Takeuchi, K. Komatsu, K. Yasuda, and K. Okamoto, *Tetrahedron Lett.*, **1976**, 3467.
- 15) Cyclic Voltammetry of Polyquinocycloalkanes.  
K. Komatsu and R. West, *J. Chem. Soc., Chem. Commun.*, **1976**, 570.
- 16) Alkylidenediquinocyclopropanes. Synthesis and Properties.  
K. Komatsu, R. West, and D. Beyer, *J. Am. Chem. Soc.*, **1977**, 99, 6290.
- 17) Syntheses of Mono-, Bis-, and Tris(diisopropylamino)triphenylcyclopropenium Ions. Cyclopropenyl Analogues of Triphenylmethane Dyes.  
K. Komatsu, R. West, and D. Stanislawski, *J. Am. Chem. Soc.*, **1977**, 99, 6286.
- 18) Syntheses, Properties and Some Reactions of 8-Phenyl- and 8,8-Diphenylheptafulvenes.  
K. Komatsu, M. Fujimori, and K. Okamoto, *Tetrahedron*, **1977**, 33, 2791.
- 19) The Synthesis of the (Diacetyl methyl)tropylium Ion and Its Transformation to the 3-Acetyl-2-methylfurotropylium Ion.  
K. Komatsu, S. Tanaka, S. Saito, and K. Okamoto, *Bull. Chem. Soc. Jpn.*, **1977**, 50, 3425.
- 20) Synthesis and  $^{13}\text{C}$  Nuclear Magnetic Resonance Spectrum of 1-(2,3-Diphenylcycloprop-2-enylidenemethyl)-2,3-diphenylcyclopropenylum Perchlorate.  
K. Komatsu, K. Masumoto, and K. Okamoto, *J. Chem. Soc., Chem. Commun.*, **1977**, 232.
- 21) Syntheses and Properties of Dithienylcyclopropenone and Trithienylcyclopropenium Ion.  
K. Komatsu, I. Tomioka, and K. Okamoto, *Tetrahedron Lett.*, **1978**, 803.

- 22) Cyclisch konjugierte 5- und 7-Ringsysteme. IV. Notiz über die Synthese des 8-Acetylheptafulvens.  
K. Hafner, M. Römer, W. Funten, K. Komatsu, S. Tanaka, and K. Okamoto, *Liebigs Ann. Chem.*, **1978**, 376.
- 23) The One-Electron Reduction of Carbonium Ions. 12. The Conformational Effect of the *para*-Cyclopropyl Group on the Stability of Phenyltropylium Ions and on Their Reducibilities with Chromium(II) Ion.  
K. Komatsu, K. Takeuchi, N. Abe, K. Yasuda, and K. Okamoto, *J. Chem. Chem., Perkin II.*, **1979**, 262.
- 24) The One-Electron Reduction of Carbonium Ions. 13. The Conformational Effects of the Cyclopropyl, Isopropyl, and Phenyl Substituents Flanked with Methyl Groups on the Reduction Rate of the Tropylium Ion with Cr(II).  
K. Takeuchi, K. Komatsu, K. Yasuda, F. Mikuchi, and K. Okamoto, *J. Chem. Chem., Perkin II.*, **1979**, 1005.
- 25) 1-Aryl-8-tropylionaphthalene Perchlorates: Synthesis and Intramolecular Charge-Transfer Interaction.  
K. Komatsu, N. Abe, K. Takahashi, and K. Okamoto, *J. Org. Chem.*, **1979**, 44, 2712.
- 26) Synthesis and Intramolecular Charge-Transfer Interaction of Janusene Containing the Tropylium Ring (5,5a,6,11,11a,12-Hexahydro-5,12-(1,2-benzeno)-6,11-(1,2-tropylio)naphthalene Cations).  
K. Komatsu, K. Takahashi, and K. Okamoto, *Tetrahedron Lett.*, **1979**, 4747.
- 27) Syntheses and Properties of Bis(cyclopropylphenyl)cyclopropenones and the Tris(p-cyclopropylphenyl)cyclopropenium Ion.  
K. Komatsu, I. Tomioka, and K. Okamoto, *Bull. Chem. Soc. Jpn.*, **1979**, 52, 856.
- 28) The Tricyclopropylcyclopropenium Ion.  
K. Komatsu, I. Tomioka, and K. Okamoto, *Tetrahedron Lett.*, **1980**, 21, 947.
- 29) Synthesis and Properties of Tetraphenyltriafulvene.  
K. Komatsu, T. Moriyama, T. Nishiyama, and K. Okamoto, *Tetrahedron*, **1981**, 37, 721.
- 30) Synthesis, Properties, and Reaction of 1,8-Naphthylenebis(diphenylcyclopropenium) Dication.  
K. Komatsu, M. Arai, and K. Okamoto, *Tetrahedron Lett.*, **1982**, 23, 91.
- 31) Syntheses and Properties of the Polymethylenebis(diphenylcyclopropenium) Dications.  
K. Komatsu, K. Masumoto, Y. Waki, and K. Okamoto, *Bull. Chem. Soc. Jpn.*, **1982**, 55, 2470.
- 32) Syntheses and Properties of Di-, Tri-, and Tetracyclopropyltropylium and Di- and Tri-*t*-butyltropylium Ions.

- K. Komatsu, K. Takeuchi, M. Arima, Y. Waki, S. Shirai, and K. Okamoto, *Bull. Chem. Soc. Jpn.*, **1982**, *55*, 3257.
- 33) Linear Free-Energy Relationships between Stability Parameters of Substituted Tropylium and Cyclopropenylum Ions as Measured by Reduction Rate with Chromium(II), Reduction Potential, Charge-Transfer Energy, and  $pK_{R^+}$  Values.  
K. Okamoto, K. Takeuchi, K. Komatsu, Y. Kubota, R. Ohara, M. Arima, K. Takahashi, Y. Waki, and S. Shirai, *Tetrahedron*, **1983**, *39*, 4011.
- 34) Synthesis and Properties of the Tristyrylmethyl Anion.  
K. Komatsu, S. Shirai, and K. Okamoto, *Bull. Chem. Soc. Jpn.*, **1984**, *57*, 1377.
- 35) Isolation of a Hydrocarbon Salt and Preparation of a Hydrocarbon Which Heterolyses to a Carbocation and a Carbanion.  
K. Okamoto, T. Kitagawa, K. Takeuchi, K. Komatsu, and K. Takahashi, *J. Chem. Soc., Chem. Commun.*, **1985**, 173.
- 36) 1,3-Diarylcyclopropenes. Syntheses and a Facile Ene Dimerization.  
K. Komatsu, T. Niwa, H. Akari, and K. Okamoto, *J. Chem. Res. (S)*, **1985**, 252.
- 37) 1,3-Diarylcyclopropenes. Syntheses and a Facile Ene Dimerization.  
K. Komatsu, T. Niwa, H. Akari, and K. Okamoto, *J. Chem. Res. (M)*, **1985**, 2846.
- 38) Reaction of 1,8-Bis(phenylethynyl)naphthalene with Phenylchlorocarbene: Formation of an Intramolecular Cyclization Product from the Carbene Monoadduct and of 1,8-Naphthylenebis(diphenylcyclopropenylum) Dication from the Bisadduct.  
K. Komatsu, M. Arai, Y. Hattori, K. Fukuyama, Y. Katsume, and K. Okamoto, *J. Org. Chem.*, **1987**, *52*, 2183.
- 39) The Tropylium Ion Annulated with Bicyclo[2.2.2]hex-2-ene: Stabilization Due to  $\sigma$ - $\pi$  Conjugation versus Destabilization due to Mills-Nixon Type  $\pi$ -Bond Localization.  
K. Komatsu, H. Akamatsu, and K. Okamoto, *Tetrahedron Lett.*, **1987**, *28*, 5889.
- 40) 1,2:3,4:5,6-tris(bicyclo[2.2.2]octeno)tropylium Ion: An All-Hydrocarbon Carbocation with Extraordinary Stability.  
K. Komatsu, H. Akamatsu, Y. Jinbu, and K. Okamoto, *J. Am. Chem. Soc.*, **1988**, *110*, 633.
- 41) Synthesis of 7,9-Diphenyl-8-tropyliumyl-8*H*-cyclopent[*a*]acenaphthylene Cation Having an Intramolecular Charge-Transfer Interaction and Transformation into the Sesquifulvalene Derivative.  
K. Komatsu, R. Fujiura, and K. Okamoto, *J. Org. Chem.*, **1988**, *53*, 3849.
- 42) A Hydrocarbon Existing Uniquely in Solution: A Heterolytically Dissociative Hydrocarbon That Produces the Corresponding Hydrocarbon Salt by Crystallization.  
K. Okamoto, T. Kitagawa, K. Takeuchi, K. Komatsu, and A. Miyabo, *J. Chem. Soc., Chem. Commun.*, **1988**, 923.

- 43) Syntheses and Properties of 7,9-Diphenyl- and 7,8,9-Triphenylcyclopent[*a*]acenaphthylenide Ion.  
K. Komatsu, R. Fujiura, and K. Okamoto, *Chem. Lett.*, **1988**, 265.
- 44) A  $^{13}\text{C}$  NMR Study on the Tris(phenylethynyl)methyl and  $\alpha,\alpha$ -Bis(phenylethynyl)benzyl Cations: The Tris- and Bis-Ethynologues of the Triphenylmethyl Cation.  
K. Komatsu, T. Takai, S. Aonuma, and K. Takeuchi, *Tetrahedron Lett.*, **1988**, 29, 5157.
- 45) Facile Synthesis, Crystal Structure, and Oxidizability of a Novel Benzene Tris-Annelated with Bicyclo[2.2.2]oct-2-ene.  
K. Komatsu, Y. Jinbu, G. R. Gillette, and R. West, *Chem. Lett.*, **1988**, 2029.
- 46) Retentive Solvolysis. 14. The Methanol-perturbed Phenolysis of Optically Active 2,2-dimethyl-1-(*p*-methoxyphenyl)propyl *p*-Nitrobenzoate. The Mechanism and the Structure of the Second Ion-Pair Intermediate.  
T. Kinoshita, K. Komatsu, K. Ikai, T. Kashimura, S. Tanikawa, A. Hatanaka, and K. Okamoto, *J. Chem. Soc., Perkin II*, **1988**, 1875.
- 47) Stereomutation of endo-2-Phenyl-endo-6-tropyliobicyclo[2.2.2]octane to the exo-6-Tropylio Isomer. Steric Repulsion between the Phenyl and Tropylium Rings Showing Intramolecular Charge-Transfer.  
K. Ikai, K. Takeuchi, K. Komatsu, R. Tsuji, T. Kinoshita, and K. Okamoto, *Tetrahedron Lett.*, **1989**, 30, 99.
- 48) Synthesis of Anthracene Photodimer Incorporating a Tropylium Ring and Its Facile Retro[4+4] Cleavage.  
K. Komatsu, R. Tsuji, and K. Takeuchi, *Tetrahedron Lett.*, **1989**, 30, 4689.
- 49) The Hydrocarbon Cation-Anion System in Which Ionic, Radical, and Covalent Species Coexist in Equilibria.  
K. Komatsu, S. Aonuma, K. Takeuchi, and K. Okamoto, *J. Org. Chem.*, **1989**, 54, 2038.
- 50) Energy Barriers for the Ring Inversion of 1,2:3,4:5,6-Tris(bicyclo[2.2.2]octeno)- and 1,2,3,4,5,6-Hexamethylcycloheptatrienes.  
S. Aonuma, K. Komatsu, and K. Takeuchi, *Chem. Lett.*, **1989**, 2107.
- 51) Isolation and Properties of Hydrocarbon Salts.  
K. Okamoto, T. Kitagawa, K. Takeuchi, K. Komatsu, T. Kinoshita, S. Aonuma, M. Nagai, and A. Miyabo, *J. Org. Chem.*, **1990**, 55, 996.
- 52) Generation and Oligomerization of Bicyclo[2.2.2]octyne, and Properties of Tris(bicyclo[2.2.2]octeno)benzene Obtained from the Linear Trimer.  
K. Komatsu, S. Aonuma, Y. Jinbu, R. Tsuji, C. Hirosawa, and K. Takeuchi, *J. Org. Chem.*, **1991**, 56, 195.
- 53) 4-Homoadamantyne: Generation, Chemical Trapping and Structure of its Pt(0) Complex.

- K. Komatsu, H. Kamo, R. Tsuji, H. Masuda, and K. Takeuchi, *J. Chem. Soc., Chem. Commun.*, **1991**, 71.
- 54) Enhanced Polarization of Heptafulvene and Tropone by Annelation with Three Bicyclo[2.2.2]-octene Frameworks.  
S. Aonuma, K. Komatsu, and K. Takeuchi, *Chem. Lett.*, **1991**, 767.
- 55) Stereomutation of 7-Tropylionorbornane, 2-Tropyliobicyclo[2.2.2]octane, and 2-Tropylioadamantane: Evidence for the Intermediacy of Heptafulvenes.  
K. Ikai, K. Takeuchi, T. Kinoshita, K. Haga, K. Komatsu, and K. Okamoto, *J. Org. Chem.*, **1991**, 56, 1052.
- 56) Synthesis of Ionic Giant Aromatic Hydrocarbons.  
K. Takeuchi, K. Komatsu, T. Kinoshita, T. Kitagawa, and A. Miyabo, *Proceedings, Interpec 91* (Pergamon press), **1991**, 809.
- 57) Formation, Properties, and Reactions of the 1,2:3,4:5,6-Tris(bicyclo[2.2.2]octeno)tropylium Ion.  
K. Komatsu, H. Akamatsu, S. Aonuma, Y. Jinbu, N. Maekawa, and K. Takeuchi, *Tetrahedron*, **1991**, 47, 6951.
- 58) Synthesis, Structure, and Reduction of the Cyclooctatetraene Tetra-Annelated with Bicyclo[2.2.2]octene Frameworks.  
K. Komatsu, T. Nishinaga, S. Aonuma, C. Hirosawa, K. Takeuchi, H. J. Lindner, and J. Richter, *Tetrahedron Lett.*, **1991**, 32, 6767.
- 59) 1-Naphthyltropylium Ions Having Condensed Aromatic Rings at the 8-Position: Dependence of the Intramolecular Charge-Transfer Interaction upon Geometry of the Donor.  
R. Tsuji, K. Komatsu, Y. Inoue, and K. Takeuchi, *J. Org. Chem.*, **1992**, 57, 636.
- 60) Small Difference in Cation Stability in Controlling the Formation of Hydrocarbon Salt or Covalent Hydrocarbon.  
A. Miyabo, K. Takeuchi, K. Komatsu, and T. Kitagawa, *Chem. Lett.*, **1992**, 683.
- 61) Stabilization of the 1-Naphthyltropylium Ion by [2.2]Paracyclophe Fixed at the Face-to-Face Position to the Tropylium Ring.  
K. Komatsu, R. Tsuji, Y. Inoue, and K. Takeuchi, *Tetrahedron Lett.*, **1993**, 34, 99.
- 62) Syntheses and Properties of a Butatriene and a [3]Radialene Having 2-Adamantylidene Units at Terminal Carbons.  
K. Komatsu, H. Kamo, R. Tsuji, and K. Takeuchi, *J. Org. Chem.*, **1993**, 58, 3219.
- 63) Synthesis of Tris[5-(3,5-di-*t*-butyl-4-hydroxyphenyl)-2-thienyl]cyclopropenylum Ion and Its Transformation into the Fully  $\pi$ -Conjugated Dianion.  
K. Komatsu, R. Tsuji, Y. Murata, and K. Takeuchi, *Chem. Lett.*, **1993**, 911.
- 64) Structural Study on 1-Phenyl- and 1-(2-Naphthyl)-8-tropylionaphthalene Hexafluoro-antimonates.

R. Tsuji, K. Komatsu, K. Takeuchi, M. Shiro, S. Cohen, and M. Rabinovitz, *J. Phys. Org. Chem.*, **1993**, *6*, 435.

- 65) Chemical Transformation of C<sub>60</sub>. Addition of Carbenes and Cycloaddition of Anthracene.  
K. Komatsu, Y. Murata, A. Miyabo, K. Takeuchi, and T. S. M. Wan, *Fullerene Science and Technology*, **1993**, *1*, 231.
- 66) Precise Control of the Formation of a Covalent and an Ionic Bond in Carbocation-Carbanion Combination Reactions.  
K. Takeuchi, T. Kitagawa, A. Miyabo, H. Hori, and K. Komatsu, *J. Org. Chem.*, **1993**, *58*, 5802.
- 67) Palladium(II)-Catalyzed Cyclocarbonylation of Enol Ester of Acetone. A Novel Synthesis of 1,3-Dioxolan-4-one.  
K. Kudo, K. Mitsuhashi, S. Mori, K. Komatsu, and N. Sugita, *Chem. Lett.*, **1993**, 1615.
- 68) The First X-Ray Structure of a Cyclooctatetraene Cation Radical: Hexachloroantimonate of the Tetrakis(bicyclo[2.2.2]octeno)cyclooctatetraene Cation Radical.  
T. Nishinaga, K. Komatsu, N. Sugita, H. J. Lindner, and J. Richter, *J. Am. Chem. Soc.*, **1993**, *115*, 11642.
- 69) Reaction of C<sub>60</sub> with Chlorophenyldiazirine. Spectral and Electronic Properties of the C<sub>60</sub>-Chlorophenylcarbene 1:1 Adduct.  
K. Komatsu, A. Kagayama, Y. Murata, N. Sugita, K. Kobayashi, S. Nagase, and T. S. M. Wan, *Chem. Lett.*, **1993**, 2163.
- 70) Use of Naphthalene as a Solvent for Selective Formation of the 1:1 Diels-Alder Adduct of C<sub>60</sub> with Anthracene.  
K. Komatsu, Y. Murata, N. Sugita, K. Takeuchi, and T. S. M. Wan, *Tetrahedron Lett.*, **1993**, *34*, 8473.
- 71) Solvolysis of [3-<sup>13</sup>C]-4-Homoadamantyl Tosylate. Limited Degeneracy of 4-Homoadamantyl Cation via Multiple Wagner-Meerwein Rearrangement and Vicinal Hydride Shifts under Solvolytic Conditions.  
K. Kitagawa, T. Okazaki, K. Komatsu, and K. Takeuchi, *J. Org. Chem.*, **1993**, *58*, 7891.
- 72) Ene Reaction as a New Method for Functionalization of Fullerene C<sub>60</sub>.  
K. Komatsu, Y. Murata, N. Sugita, and T. S. M. Wan, *Chem. Lett.*, **1994**, 635-636.
- 73) A Novel Carbodication Composed of Two Tris(bicyclo[2.2.2]octeno)tropylium Units Connected by a Triple Bond: Synthesis, Structure, and Properties.  
A. Kagayama, K. Komatsu, T. Nishinaga, K. Takeuchi, and C. Kabuto, *J. Org. Chem.*, **1994**, *59*, 4999.
- 74) Synthesis and Properties of the First Acetylene Derivatives of C<sub>60</sub>.  
K. Komatsu, Y. Murata, N. Takimoto, S. Mori, N. Sugita, and T. S. M. Wan, *J. Org. Chem.*, **1994**, *59*, 6101-6102.

- 75) Syntheses, Properties, and Redox Behaviors of 7-Phenyl-1,2:3,4:5,6-tris(bicyclo[2.2.2]octeno)tropylium Ion and the Dications Composed of Two 1,2:3,4:5,6-Tris(bicyclo[2.2.2]octeno)tropylium Units Connected by *para*- and *meta*-Phenylene Spacer.  
K. Komatsu, T. Nishinaga, N. Maekawa, A. Kagayama, and K. Takeuchi, *J. Org. Chem.*, **1994**, *59*, 7316.
- 76) A Polycyclic Pentamer of Bicyclo[2.2.2]octene. A Hydrocarbon Molecule with a Long C-C Single Bond Connecting Two Cofacially Disposed Cyclopentadiene Rings.  
K. Komatsu, T. Nishinaga, K. Takeuchi, H. J. Lindner, and J. Richter, *J. Org. Chem.*, **1994**, *59*, 7322.
- 77) Tetrakis(bicyclo[2.2.2]octeno)cyclooctatetraene Dication: A Stable COT Dication with a Tub Structure.  
T. Nishinaga, K. Komatsu, and N. Sugita, *J. Chem. Soc., Chem. Commun.*, **1994**, 2319-2320.
- 78) 1,1-Dimethylsila-, -germa-, and -stannacycloheptatrienes Fully Annelated with Bicyclo[2.2.2]octene: Syntheses, Structures, and Properties.  
T. Nishinaga, K. Komatsu, and N. Sugita, *J. Org. Chem.*, **1995**, *60*, 1309-1314.
- 79) Novel Synthesis of Oxalate from Carbon Dioxide and Carbon Monoxide in the Presence of Caesium Carbonate.  
K. Kudo, F. Ikoma, S. Mori, K. Komatsu, and N. Sugita, *J.C.S., Chem. Commun.*, **1995**, 633-634.
- 80) Regiospecific Coordination of *tert*-Butylfulleride Ion and 1,4-Dicyclopropyltropylium Ion. Synthesis of a Dialkyldihydrofullerene Having a Heterolytically Dissociative Carbon-Carbon σ-Bond.  
T. Kitagawa, T. Tanaka, Y. Takata, K. Takeuchi, and K. Komatsu, *J. Org. Chem.*, **1995**, *60*, 1490-1491.
- 81) Non-Aqueous Capillary Electrophoresis as a New Method for the Separation of Fullerenes.  
T. S. M. Wan, G. N. W. Leung, T. S. C. Tso, K. Komatsu, and Y. Murata, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **1995**, 1474-1487
- 82) Carbonylation of Trichloroacetaldehyde in Concentrated Sulfuric Acid: Stereocontrolled Synthesis of *cis*- and *trans*-2,5-bis(trichloromethyl)-1,3-dioxolan-4-one.  
S. Mori, K. Emura, M. Kano, K. Kudo, K. Komatsu, and N. Sugita, *Tetrahedron*, **1995**, *51*, 8977-8982.
- 83) Chain Carbonylation of Methoxymethyl Chloride by Using AgSbF<sub>6</sub> Catalyst under High Pressure of CO.

Y. Ohga, F. Netsu, S. Mori, K. Kudo, K. Komatsu, and N. Sugita, *Tetrahedron*, **1995**, 51, 11119-11124.

- 84) Synthesis, Properties, and Reactions of a Stable Carbanion Derived from Alkynyldihydrofullerene: 1-Octynyl-C<sub>60</sub> Carbanion.  
Y. Murata, K. Motoyama, K. Komatsu, and T. S. M. Wan, *Tetrahedron*, **1996**, 52, 5077-5090.
- 85) Hydrocarbonylation of Enol Esters Catalyzed by a Palladium(II) Complex.  
K. Kudo, Y. Oida, K. Mitsuhashi, S. Mori, K. Komatsu, and N. Sugita, *Bull. Chem. Soc. Jpn*, **1996**, 69, 1337-1345.
- 86) Electronic Interaction of Tricarbonylchromium-Complexed Benzene with a Facing Aryl Ring in the 1,8-Diarylnaphthalene System.  
N. Kaneta, F. Mitamura, M. Uemura, Y. Murata, and K. Komatsu, *Tetrahedron Lett.*, **1996**, 37, 5385-5388.
- 87) Novel Nucleophilic Addition Reactions Leading to New Derivatives of Fullerene C<sub>60</sub>.  
K. Komatsu, Y. Murata, G-W. Wang, T. S. M. Wan, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **1996**, 1200-1211.
- 88) Synthesis and Properties of Dialkyl Derivatives of Di[60]fullerenylbutadiyne and Di[60]fullerenylacetylene: the Buckydumbbells.  
K. Komatsu, N. Takimoto, Y. Murata, T. S. M. Wan, and T. Wong, *Tetrahedron Lett.*, **1996**, 37, 6153-6156.
- 89) The Solid-Phase Reaction of [60]Fullerene: Novel Addition of Organozinc Reagents.  
G-W. Wang, Y. Murata, K. Komatsu, and T. S. M. Wan, *Chem. Commun.*, **1996**, 2059-2060.
- 90) The Reaction of [60]Fullerene with Lithium Fluorenide: Formation of a Novel 1,4-Adduct of [60]Fullerene.  
Y. Murata, K. Komatsu, and T. S. M. Wan, *Tetrahedron Lett.*, **1996**, 37, 7061-7064.
- 91) Synthesis of Disubstituted 1,2-Dihydro[60]fullerenes with Well-defined Structure by Addition of 1-Alkoxy-1-chloroethanes to 2-(1-Octynyl)-1,2-dihydro[60]fulleren-1-ide Ion.  
H. Okamura, Y. Murata, M. Minoda, K. Komatsu, T. Miyamoto, and T. S. M. Wan, *J. Org. Chem.*, **1996**, 61, 8500-8502.
- 92) Palladium(II)-Catalyzed Hydroesterification of Enol Esters: Remarkable  $\alpha$ -Substituent Effect upon Regioselectivity.  
K. Kudo, Y. Oida, S. Mori, K. Komatsu, and N. Sugita, *React. Kinet. Catal. Lett.*, **1996**, 59, 29-33.
- 93) Synthesis of C<sub>60</sub>-Capped Vinyl Ether Oligomers by Living Cationic Polymerization Technique.

- H. Okamura, M. Minoda, K. Komatsu, and T. Miyamoto, *Macromolecular Chem. Phys.*, **1997**, *198*, 777-786.
- 94) High-Pressure Synthesis of Cycloadduct of Fullerene C<sub>60</sub> with 2H-Pyran-2-one.  
S. Mori, T. Karita, K. Komatsu, N. Sugita, and T. S. M. Wan, *Synth. Commun.*, **1997**, *27*, 1475-1482.
- 95) Synthesis of Oxalate from Carbon Monoxide and Carbon Dioxide in the Presence of Caesium Carbonate.  
K. Kudo, F. Ikoma, S. Mori, K. Komatsu, and N. Sugita, *J. Chem. Soc., Perkin Trans.2*, **1997**, *679*-682.
- 96) Synthesis and Electronic Properties of Anthracene Fully Annulated with Bicyclo[2.2.2]octene Frameworks.  
A. Matsuura, T. Nishinaga, and K. Komatsu, *Tetrahedron Lett.*, **1997**, *38*, 3427-3430.
- 97) Reactions of a Novel Benzyne Annulated with Two Bicyclo[2.2.2]octene Units.  
A. Matsuura, T. Nishinaga, and K. Komatsu, *Tetrahedron Lett.*, **1997**, *38*, 4125-4128.
- 98) Synthesis and X-Ray Structure of Dumb-bell-shaped C<sub>120</sub>.  
G-W. Wang, K. Komatsu, Y. Murata, and M. Shiro, *Nature*, **1997**, *387*, 583-586.
- 99) Synthesis, Structure, and Redox Behavior of the Dehydroannulenes Fused with Bicyclo[2.2.2]octene Frameworks.  
T. Nishinaga, T. Kawamura, and K. Komatsu, *J. Org. Chem.*, **1997**, *62*, 5354-5362.
- 100) Synthesis, X-Ray Structure, and Properties of the First Tetrakisadduct of Fullerene C<sub>60</sub> Having a Fulvene-Type π-System on the Spherical Surface.  
Y. Murata, M. Shiro, and K. Komatsu, *J. Am. Chem. Soc.*, **1997**, *119*, 8117-8118.
- 101) Ionically Dissociative Hydrocarbons Containing the C<sub>60</sub> Skeleton.  
T. Kitagawa, T. Tanaka, Y. Takata, K. Takeuchi, and K. Komatsu, *Tetrahedron*, **1997**, *53*, 9965-9976.
- 102) Synthesis of a Hydrocarbon Salt Having a Fullerene Framework.  
T. Tanaka, T. Kitagawa, K. Komatsu, and K. Takeuchi, *J. Am. Chem. Soc.*, **1997**, *119*, 9313-9314.
- 103) Synthesis of 1,4-dipolystyryldihydro[60]fullerenes by Using 2,2,6,6-Tetramethyl-1-polystyroxypiperidine as a Radical Source.  
H. Okamura, T. Terauchi, M. Minoda, T. Fukuda, and K. Komatsu, *Macromolecules* **1997**, *30*, 5279-5284.
- 104) Synthesis of the Fullerene Dimer C<sub>120</sub> by a Solid State Reaction.  
K. Komatsu, G-W. Wang, Y. Murata, and M. Shiro, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **1997**, 290-297.

- 105) Synthesis and Electrochemical Behavior of a Fullerenyl Anion Having Five Organic Addends Around the cyclopentadienide Ring on the C<sub>60</sub> Surface.  
 K. Komatsu and Y. Murata, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **1997**, 199-208.
- 106) The Ring Inversion of Silacycloheptatriene and Cycloheptatriene. Comparison of the "Aromaticity" of Planar and Boat Conformers Estimated by Nucleus-Independent Chemical Shift (NICS).  
 T. Nishinaga, Y. Izukawa, and K. Komatsu, *J. Phys. Org. Chem.*, **1998**, 11, 475-477.
- 107) Effects of Substituents on Silicon upon the Ring Inversion of Silepins Annulated with Bicyclo[2.2.2]octene Frameworks.  
 T. Nishinaga, Y. Izukawa, and K. Komatsu, *Chem. Lett.*, **1998**, 269-270.
- 108) Synthesis of a Propargyl Alcohol Having a C<sub>60</sub> Cage, Its Transformation into C<sub>60</sub> Derivatives with Polar Functional Groups, and the Solubility Measurements.  
 K. Fujiwara, Y. Murata, T. S. M. Wan, and K. Komatsu, *Tetrahedron*, **1998**, 54, 2049-2058.
- 109) Solubility and Micellization Behavior of C<sub>60</sub> Fullerenes with Two Well-Defined Polymer Arms.  
 H. Okamura, N. Ide, M. Minoda, K. Komatsu, and T. Fukuda, *Macromolecules*, **1998**, 31, 1859-1865.
- 110) Polymerization of C<sub>60</sub> at 1.5 GPA.  
 V. A. Davydov, L. S. Kashevarova, A. V. Rakhmanina, V. Agafonov, H. Allouchi, R. Ceolin, A. V. Dzyabchenko, V. M. Senyavin, H. Szwarc, T. Tanaka, and K. Komatsu, *Fullerenes: Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials*, R. S. Ruoff and K. M. Kadish Eds; Electrochemical Society, Pennington, N.J., **1998**, 5, 731-742
- 111) Intermolecular Bond Stability of C<sub>60</sub> Dimers and 2D Pressure-Polymerized C<sub>60</sub>.  
 P. Nagel, V. Pasler, S. Lebedkin, C. Meingast, B. Sundqvist, T. Tanaka, and K. Komatsu, *Electronic Properties of Novel Materials - Progress in Molecular Nanostructures*, **1998**, AIP 442, 194-197.
- 112) Catalytic C<sub>120</sub> - Vibrational Spectra and Stability.  
 B. Burger, H. Kuzmany, and K. Komatsu, *Electronic Properties of Novel Materials - Progress in Molecular Nanostructures*, **1998**, AIP 442, 211-214.
- 113) Synthesis and Properties of 1,4-Dimethoxynaphtho[2,3]annelated Dehydroannulenes.  
 T. Nishinaga, H. Nakayama, N. Nodera, and K. Komatsu, *Tetrahedron Lett.*, **1998**, 39, 7139-7142.
- 114) Synthesis and Structural Characterization of Novel Silver(I) Complexes of Tetrahydro[16]annulene Annulated with Bicyclo[2.2.2]octene Units.  
 T. Nishinaga, T. Kawamura, and K. Komatsu, *Chem. Commun.*, **1998**, 2263-2264.

- 115) Mechanochemical Synthesis and Characterization of the Fullerene Dimer C<sub>120</sub>.  
K. Komatsu, G.-W. Wang, Y. Murata, T. Tanaka, K. Fujiwara, K. Yamamoto, and M. Saunders, *J. Org. Chem.*, **1998**, *63*, 9358-9366.
- 116) Synthesis, Structure and Properties of Naphthalene Fully Annelated with Bicyclo[2.2.2]octene Frameworks.  
A. Matsuura, T. Nishinaga, and K. Komatsu, *Tetrahedron Lett.*, **1999**, *40*, 123-126.
- 117) Formation of Dimer, Trimer, and Tetramer of C<sub>60</sub> and C<sub>70</sub> by  $\gamma$ -Ray, Charged-Particle Irradiation, and Their HPLC Separation.  
T. Ohtsuki, K. Masumoto, T. Tanaka, and K. Komatsu, *Chem. Phys. Lett.*, **1999**, *300*, 661-666.
- 118) Particularities of C<sub>60</sub> Transformation at 1.5 GPa.  
V. A. Davydov, L. S. Kashevarova, A. V. Rakhmanina, V. Agafonov, H. Allouchi, R. Ceolin, A. V. Dzyabchenko, V. M. Senyavin, H. Szwarc, T. Tanaka, and K. Komatsu, *J. Phys. Chem.B*, **1999**, *103*, 1800-1804.
- 119) Solid-State [4+2] Cycloaddition of Fullerene C<sub>60</sub> with Condensed Aromatics Using a High-Speed Vibration Milling Technique.  
Y. Murata, N. Kato, K. Fujiwara, and K. Komatsu, *J. Org. Chem.*, **1999**, *64*, 3483-3488.
- 120) 1,4-Dithiin Annelated with Bicyclo[2.2.2]octene Units: Experimental and Theoretical Evidence for the Aromaticity in 1,4-Dithiin Dication.  
T. Nishinaga, A. Wakamiya, and K. Komatsu, *Chem. Commun.*, **1999**, 777-778.
- 121) The First Isolation of the Hexafluoroantimonate Salt of a 1,4-Dithiin Radical Cation Stabilized by Bicyclo[2.2.2]octene Annulation.  
T. Nishinaga, A. Wakamiya, and K. Komatsu, *Tetrahedron Lett.*, **1999**, *40*, 4375-4378.
- 122) The Solid-State Mechanochemical Reaction of Fullerene C<sub>60</sub>.  
K. Komatsu, Y. Murata, G.-W. Wang, T. Tanaka, N. Kato, and K. Fujiwara, *Fullerene Sci. Tech.*, **1999**, *7*, 609-620.
- 123) Synthesis of the Singly Bonded Fullerene Dimer C<sub>120</sub>H<sub>2</sub> and the Difullerenylacetylene C<sub>122</sub>H<sub>2</sub>, and Generation of the All-Carbon Dianion C<sub>122</sub><sup>2-</sup>.  
T. Tanaka and K. Komatsu, *J. Chem. Soc., Perkin 1*, **1999**, 1671-1676.
- 124) Mechanochemical Arylation and Alkylation of Fullerene C<sub>60</sub> under the Solvent-Free Conditions.  
T. Tanaka and K. Komatsu, *Synth. Commun.*, **1999**, *29*, 4397-4402.
- 125) Solubility Characteristics of C<sub>60</sub> Fullerenes with Two Well-Defined Polystyrene Arms in a Polystyrene Matrix.  
H. Okamura, M. Minoda, T. Fukuda, T. Miyamoto, and K. Komatsu, *Macromol. Rapid Commun.*, **1999**, *20*, 37-40.

- 126) Aqueous Solubilization of Crystalline Fullerenes by Supramolecular Complexation with  $\gamma$ -Cyclodextrin and Sulfocalix[8]arene under Mechanochemical High-Speed Vibration Milling.  
K. Komatsu, K. Fujiwara, Y. Murata, and T. Braun, *J. Chem. Soc., Perkin 1*, **1999**, 2963-2966.
- 127) Reduction of Alkali Metal Carbonate to Methane with Water in the Presence of Raney Alloy.  
K. Kudo and K. Komatsu, *J. Mol. Cat. A*, **1999**, 415, 159-167.
- 128) Selective Formation of Methane in Reduction of CO<sub>2</sub> with Water by Raney Alloy Catalyst.  
K. Kudo and K. Komatsu, *J. Mol. Cat. A*, **1999**, 415, 257-264.
- 129) Methanation of Alkali Metal Carbonate and CO<sub>2</sub> with Water in the Presence of Raney Fe-Ru/C Mixed Catalyst.  
K. Kudo and K. Komatsu, *Sekiyu Gakkaishi*, **1999**, 42, 157-164.
- 130) Triplet Properties and Photoinduced Electron-Transfer Reactions of C<sub>120</sub>, the [2+2] Dimer of Fullerene C<sub>60</sub>.  
M. Fujitsuka, C. Luo, O. Ito, Y. Murata, and K. Komatsu, *J. Chem. Phys.*, **1999**, 103, 7155-7160.
- 131) The Supramolecular Structure of 1,4-Bis(9-fluorenyl)-1,4-dihydro[60]fullerene with Hexahomotrioxacalix[3]arene in the Solid State.  
K. Tsubaki, Y. Murata, K. Komatsu, T. Kinoshita, and K. Fuji, *Heterocycles*, **1999**, 51, 2553-2556.
- 132) Direct Preparation of Radioactive Fullerenes as a Tracer for Applications.  
T. Ohtsuki, K. Masumoto, K. Shikano, K. Sueki, T. Tanaka, and K. Komatsu, *Biological Trace Element Research*, **1999**, 71-72, 489-498.
- 133) C<sub>60</sub> One- and Two-dimensional Polymers, Dimers, and Hard Fullerite: Thermal Expansion, Anharmonicity, and Kinetics of Depolymerization.  
P. Nagel, V. Pasler, S. Lebedkin, A. Soldatov, C. Meingast, B. Sundqvist, P.-A. Persson, T. Tanaka, K. Komatsu, S. Buga, and A. Inaba, *Chem. Rev. B.*, **1999**, 60, 16920-16927.
- 134) Synthesis of Highly Water-Soluble C<sub>60</sub> End-Capped Vinyl Ether Oligomers with Well-Defined Structure.  
H. Okamura, K. Miyazono, M. Minoda, K. Komatsu, T. Fukuda, and T. Miyamoto, *J. Polym. Sci.: Part A: Polym. Chem.*, **2000**, 38, 3578-3585.
- 135) The Fullerene Dimer C<sub>120</sub> and Related Carbon Allotropes.  
K. Komatsu, K. Fujiwara, T. Tanaka, and Y. Murata, *Carbon*, **2000**, 38, 1529-1534.
- 136) The Fullerene Cross-Dimer C<sub>130</sub>: Synthesis and Properties.  
K. Komatsu, K. Fujiwara, and Y. Murata, *Chem. Commun.*, **2000**, 1583-1584.
- 137) The Mechanochemical Synthesis and Properties of the Fullerene Trimer C<sub>180</sub>.

- K. Komatsu, K. Fujiwara, and Y. Murata, *Chem. Lett.*, **2000**, 1016-1017.
- 138) The First Cyclic  $\pi$ -Conjugated Silylum Ion: The Silatropylium Ion Annelated with Rigid  $\sigma$ -Frameworks.  
T. Nishinaga, Y. Izukawa, and K. Komatsu, *J. Am. Chem. Soc.*, **2000**, *122*, 9312-9313.
- 139) The Structural Studies on the Radical Cations of Benzene, Naphthalene, Biphenylene, and Anthracene Fully Annelated with Bicyclo[2.2.2]octene Frameworks.  
A. Matsuura, T. Nishinaga, and K. Komatsu, *J. Am. Chem. Soc.*, **2000**, *122*, 10007-10016.
- 140) Solid-State Reaction of  $C_{60}$  with N-Containing Aromatics to Give Novel Addition Products.  
K. Komatsu, Y. Murata, and N. Kato, *Fullerenes 2000: Functionalized Fullerenes*, N. Martin, M. Maggini, and D. M. Guldin Eds; Electrochemical Society, Pennington, N.J., **2000**, *9*, 20-27.
- 141) Ultrafast Energy Relaxation Dynamics of  $C_{120}$ , a [2+2]-bridged  $C_{60}$  Dimer.  
H. S. Cho, S. K. Kim, D. Kim, K. Fujiwara, and K. Komatsu, *J. Phys. Chem. A*, **2000**, *104*, 9666-9669.
- 142) Efficient Synthesis of Benzene and Planar Cyclooctatetraene Fully Annelated with Bicyclo[2.1.1]hex-2-ene.  
A. Matsuura and K. Komatsu, *J. Am. Chem. Soc.*, **2001**, *123*, 1768-1769.
- 143) The First Silatropylium Ion Stabilized by Rigid  $\sigma$ -Frameworks: Preparation, Properties, and Some Reactions.  
T. Nishinaga, Y. Izukawa, and K. Komatsu, *Tetrahedron*, **2001**, *57*, 3645-3656.
- 144) Properties of Photoexcited States of  $C_{180}$ , a Triangle Trimer of  $C_{60}$ .  
M. Fujitsuka, K. Fujiwara, Y. Murata, S. Uemura, M. Kunitake, O. Ito, and K. Komatsu, *Chem. Lett.*, **2001**, 384-385.
- 145) The Reaction of Fullerene  $C_{60}$  with Phthalazine: The Mechanochemical Solid-State Reaction Yielding a New  $C_{60}$  Dimer versus the Liquid-Phase Reaction Affording an Open-Cage Fullerene.  
Y. Murata, N. Kato, and K. Komatsu, *J. Org. Chem.*, **2001**, *66*, 7235-7239.
- 146) Photochemical Reaction of the Open-Cage Fullerene Derivative with Singlet Oxygen.  
Y. Murata and K. Komatsu, *Chem. Lett.*, **2001**, 896-897.
- 147) Positron Lifetime in Supramolecular Gamma- and Delta-Cyclodextrin- $C_{60}$  and - $C_{70}$  Compounds.  
K. Suvegh, K. Fujiwara, K. Komatsu, T. Marek, T. Ueda, A. Vertes, and T. Braun, *Chem. Phys. Lett.*, **2001**, *344*, 263-269.
- 148) Derivatization of Fullerene Dimer  $C_{120}$  by the Bingel Reaction and a  $^3He$  NMR Study of  $^3He@C_{120}$  Monoadducts.

- K. Fujiwara, K. Komatsu, G-W. Wang, T. Tanaka, K. Hirata, K. Yamamoto, and M. Saunders, *J. Am. Chem. Soc.*, **2001**, 123, 10715-10720.
- 149) First Synthesis of a Highly Symmetrical Decakis-Adduct of Fullerene Dimer C<sub>120</sub>.  
K. Fujiwara and K. Komatsu, *Chem. Commun.*, **2001**, 1986-1987.
- 150) The Reaction of Fullerene C<sub>60</sub> with 4,6-Dimethyl-1,2,3-Triazine: Formation of an Open-Cage Fullerene Derivative.  
Y. Murata, M. Murata, and K. Komatsu, *J. Org. Chem.*, **2001**, 66, 8187-8191.
- 151) Synthesis and Electrochemical Properties of Novel Dimeric Fullerenes Incorporated in a 2,3-Diazabicyclo[2.2.2]oct-2-ene Framework.  
Y. Murata, M. Suzuki, and K. Komatsu, *Chem. Commun.*, **2001**, 2338-2339.
- 152) Structural Analysis of C<sub>60</sub> Trimers by Direct Observation with Scanning Tunneling Microscopy.  
M. Kunitake, S. Uemura, O. Ito, K. Fujiwara, Y. Murata, and K. Komatsu, *Angew. Chem. Int. Ed.*, **2002**, 41, 969-972.
- 153) A Kinetic Study on the Rate Retardation in Radical Polymerization of Styrene with Addition-Fragmentation Chain Transfer.  
Y. Kwak, A. Goto, Y. Tsujii, Y. Murata, K. Komatsu, and T. Fukuda, *Macromolecules*, **2002**, 35, 3026-3029.
- 154) Mechanochemical Synthesis of a Novel C<sub>60</sub> Dimer Connected by a Silicon Bridge and a Single Bond.  
K. Fujiwara and K. Komatsu, *Org. Lett.*, **2002**, 4, 1039-1041.
- 155) Formation of a Novel Arenium Ion from the Radical Cation of a Twisted Triphenylene Fully Annelated with Bicyclo[2.2.2]octene Units.  
T. Nishinaga, R. Inoue, A. Matsuura, and K. Komatsu, *Org. Lett.*, **2002**, 4, 1435-1438.
- 156) Radical Cation and Dication of Fluorene Fully Annelated with Bicyclo[2.2.2]octene Units: Importance of the Quinoidal Resonance Structure in the Cationic Fluorene.  
T. Nishinaga, R. Inoue, A. Matsuura, and K. Komatsu, *Org. Lett.*, **2002**, 4, 4117-4120.
- 157) The Stable Radical Cation of Thiophene Annelated with Bicyclo[2.2.2]octene and Its Reaction with Triplet Oxygen to Give a Protonated Cation of 2-Butene-1,4-dione Derivative.  
A. Wakamiya, T. Nishinaga and K. Komatsu, *Chem. Commun.*, **2002**, 1192-1193.
- 158) Photophysical and Photochemical Properties of Decakis-Adduct of C<sub>120</sub> and Related Compounds.  
M. Fujitsuka, K. Fujiwara, Y. Murata, O. Ito, and K. Komatsu, *Chem. Lett.*, **2002**, 512-513.
- 159) Synthesis and Properties of Novel Fullerene Derivatives Having Dendrimer Units and the Fulleranyl Anions Generated Therefrom.  
Y. Murata, M. Ito, and K. Komatsu, *J. Materials Chem.*, **2002**, 12, 2009-2020.

- 160) Photochemical and Photophysical Properties of C<sub>60</sub> Dendrimers Studied by Laser Flash Photolysis.  
R. Kunieda, M. Fujitsuka, O. Ito, M. Ito, Y. Murata, and K. Komatsu, *J. Phys. Chem. B*, **2002**, *106*, 7193-7199.
- 161) Synthesis, X-Ray Structure, and Properties of the Singly Bonded C<sub>60</sub> Dimer Having Diethoxyphosphorylmethyl Groups Utilizing the Chemistry of C<sub>60</sub><sup>2-</sup>.  
F. Cheng, Y. Murata, and K. Komatsu, *Org. Lett.*, **2002**, *4*, 2541-2544.
- 162) A Supramolecular Oscillator Composed of Dumbbell-Shaped Carbon Nanocluster C<sub>120</sub> and a Rhodium(III) Porphyrin Cyclic Dimer.  
K. Tashiro, Y. Hirabayashi, T. Aida, K. Saigo, K. Fujiwara, K. Komatsu, S. Sakamoto, and K. Yamaguchi, *J. Am. Chem. Soc.*, **2002**, *124*, 12086-12087.
- 163) Dehydro[12]- and [18]annulenes Fused with Tetrafluorobenzene: Synthesis, Electronic Properties, Packing Structures, and Reactivity in the Solid State.  
T. Nishinaga, N. Nodera, Y. Miyata, and K. Komatsu, *J. Org. Chem.*, **2002**, *67*, 6091-6096.
- 164) Synthesis of New Fullerene Dimers and Open-Cage Fullerenes by Solid-State and Liquid-Phase Reaction of C<sub>60</sub> with N-Containing Aromatics and with Organosilicon Compounds.  
K. Komatsu, Y. Murata, K. Fujiwara, M. Suzuki, and M. Murata, *Fullerenes*, **2002**, *12*, 291-297.
- 165) Direct Observation of Localized Excitation in the Lowest Excited Triplet State of Fullerene Dimers C<sub>120</sub> and C<sub>120</sub>O by Means of Time-Resolved Electron Paramagnetic Resonance.  
S. Yamauchi, T. Funayama, Y. Ohba, P. Paul, C. A. Reed, K. Fujiwara, and K. Komatsu, *Chem. Phys. Lett.*, **2002**, *363*, 199-203.
- 166) Effective Energy Transfer Process in a Dyad Molecule of Pyrene and C<sub>60</sub>.  
M. Fujitsuka, H. Luo, Y. Murata, N. Kato, O. Ito, and K. Komatsu, *Chem. Lett.*, **2002**, 968-969.
- 167) Adlayers of Fullerene Monomer and [2+2]-Type Dimer on Au(111) in Aqueous Solution Studied by In Situ STM.  
S. Yoshimoto, R. Narita, E. Tsutsumi, M. Matsumoto, K. Itaya, O. Ito, K. Fujiwara, Y. Murata, and K. Komatsu, *Langmuir*, **2002**, *18*, 8518-8522.
- 168) The 1,2-Dithiin Annulated with Bicyclo[2.2.2]octene Frameworks. One-Electron and Two-Electron Oxidations and Formation of a Novel 2,3,5,6-Tetrathiabicyclo[2.2.2]oct-7-ene Radical Cation with Remarkable Stability Owing to a Strong Transannular Interaction.  
A. Wakamiya, T. Nishinaga, and K. Komatsu, *J. Am. Chem. Soc.*, **2002**, *124*, 15038-15050.

- 169) Nucleophilic Substitution of Alkylchlorodihydro[60]fullerenes: Thermodynamic Stabilities of Alkylated C<sub>60</sub> Cation Intermediates.  
T. Kitagawa, Y. Lee, M. Hanamura, H. Sakamoto, H. Konno, K. Takeuchi, and K. Komatsu, *Chem. Commun.*, **2002**, 3062-3063.
- 170) Synthesis, Structure, and Properties of Novel Open-Cage Fullerenes Having Heteroatom(s) on the Rim of the Orifice.  
Y. Murata, M. Murata, and K. Komatsu, *Chem. Eur. J.*, **2003**, 9, 1600-1609.
- 171) Polymorphism and Stacking Disorder in Tris(bicyclo[2.1.1]hexeno)benzene.  
H. Birkedal, H.-B. Bürgi, K. Komatsu, and D. Schwarzenbach, *J. Mol. Struct.*, **2003**, 647, 233-242.
- 172) Solvent-Free Reactions of Fullerenes with *N*-Alkylglycines and Aldehydes or without Aldehydes Under High-Speed Vibration Milling.  
G-W. Wang, T-H. Zhang, E. H. Hao, L-J. Jiao, Y. Murata, and K. Komatsu, *Tetrahedron*, **2003**, 59, 55-60.
- 173) Structure of the Hydration Product of the C<sub>60</sub>-Di(2-pyridyl)-1,2,4,5-tetrazine Adduct.  
Y. Murata, M. Suzuki, Y. Rubin, and K. Komatsu, *Bull. Chem. Soc. Jpn.*, **2003**, 76, 1669-1672.
- 174) Synthesis, Structure, and Dynamic Behavior of Cyclopentadienyl-lithium, -sodium, and -potassium Annelated with Bicyclo[2.2.2]octene Units: A Systematic Study on Site Exchange of Alkali Metals on a Cyclopentadienyl Ring in Tetrahydrofuran.  
T. Nishinaga, D. Yamazaki, H. Stahr, A. Wakamiya, and K. Komatsu, *J. Am. Chem. Soc.*, **2003**, 125, 7324-7335.
- 175) 100% Encapsulation of a Hydrogen Molecule into an Open-Cage Fullerene Derivative and Gas-Phase Generation of H<sub>2</sub>@C<sub>60</sub>.  
Y. Murata, M. Murata, and K. Komatsu, *J. Am. Chem. Soc.*, **2003**, 125, 7152-7153.
- 176) Acid-catalyzed Conversion of 7-Ethynyl- and 7-Vinyl-cycloheptatrienes to Substituted Benzene Derivatives.  
S. Minegishi, J. Kamada, K. Takeuchi, K. Komatsu, and T. Kitagawa, *Eur. J. Org. Chem.*, **2003**, 3497-3504.
- 177) Novel Solvent-Free Reaction of C<sub>60</sub> with Active Methylene Compounds in the Presence of Na<sub>2</sub>CO<sub>3</sub> under High-Speed Vibration Milling.  
G-W. Wang, T-H. Zhang, Y-J. Li, P. Lu, H. Zhan, Y-C. Liu, Y. Murata, and K. Komatsu, *Tetrahedron Lett.*, **2003**, 44, 4407-4409.
- 178) Synthesis of Open-Cage Fullerene Derivatives and Encapsulation of Small Molecules.  
K. Komatsu, Y. Murata, and M. Murata, *Fullerenes; Electrochemical Society Proceedings*, **2003**, 15, 252-257.
- 179) Synthesis and Electrolytic Polymerization of Fullerene-Terthiophene Dyads.  
Y. Murata, M. Suzuki, T. Yamazaki, and K. Komatsu, *Fullerenes; Electrochemical Society Proceedings*, **2003**, 15, 316-322.

- 180) Synthesis and Electropolymerization of Fullerene-Terthiophene Dyads.  
Y. Murata, M. Suzuki, and K. Komatsu, *Org. Biomol. Chem.*, **2003**, *1*, 2624-2625.
- 181) Mechanochemical Synthesis of a Novel C<sub>60</sub> Dimer Connected by a Germanium Bridge and a Single Bond.  
Y. Murata, A. Han, and K. Komatsu, *Tetrahedron Lett.*, **2003**, *44*, 8199-8201.
- 182) Synthesis and Properties of Novel Oligothiophenes Surrounded by Bicyclo[2.2.2]octene Frameworks.  
A. Wakamiya, D. Yamazaki, T. Nishinaga, T. Kitagawa, and K. Komatsu, *J. Org. Chem.*, **2003**, *68*, 8305-8314.
- 183) Highly Efficient Mechanochemical Reactions of 1,3-Dicarbonyl Compounds with Chalcones and Azachalcones Catalyzed by Potassium Carbonate.  
Z. Zhang, Y-W. Dong, G-W. Wang, and K. Komatsu, *Synlett*, **2004**, 61-64.
- 184) Electron-Transfer Induced Substitution of Alkylated C<sub>60</sub> Chlorides with Proton Sponge.  
Y. Lee, T. Kitagawa, and K. Komatsu, *J. Org. Chem.*, **2004**, *69*, 263-269.
- 185) Solvent-Free Reactions of Fullerenes with Diethyl Bromomalonate in the Presence of Inorganic Bases under High-Speed Vibration Milling Conditions.  
R-F. Peng, G-W. Wang, Y-B. Shen, Y-J. Li, T-H. Zhang, Y-C. Liu, Y. Murata, and K. Komatsu, *Synth. Commun.*, **2004**, *34*, 2117-2126.
- 186) Mechanochemical Michael Reactions of Chalcones and Azachalcones with Ethyl Acetoacetate Catalyzed by K<sub>2</sub>CO<sub>3</sub> under Solvent-free Conditions.  
Z. Zhang, Y-W. Dong, G-W. Wang, and K. Komatsu, *Chem. Lett.*, **2004**, *33*, 168-169.
- 187) Solid State NMR of Molecular Hydrogen Trapped Inside an Open-Cage Fullerene.  
M. Carravetta, Y. Murata, M. Murata, I. Heinmaa, R. Stern, A. Samoson, Y. Rubin, K. Komatsu, and M. H. Levitt, *J. Am. Chem. Soc.*, **2004**, *126*, 4092-4093.
- 188) Crystal Structures and Spectroscopic Characterization of Radical Cations and Dications of Oligothiophenes Stabilized by Annulation with Bicyclo[2.2.2]octene Units: Sterically Segregated Cationic Oligothiophenes.  
T. Nishinaga, A. Wakamiya, D. Yamazaki, and K. Komatsu, *J. Am. Chem. Soc.*, **2004**, *126*, 3163-3174.
- 189) Synthesis and Properties of *p*-Benzoquinone-fused Hexadehydro[18]annulenes.  
T. Nishinaga, Y. Miyata, N. Nodera, and K. Komatsu, *Tetrahedron*, **2004**, *60*, 3375-3382.
- 190) Adlayers of C<sub>60</sub>-C<sub>60</sub> and C<sub>60</sub>-C<sub>70</sub> Fullerene Dimers Formed on Au(111) in Benzene Solutions Studied by STM and LEED.  
M. Matsumoto, J. Inukai, E. Tsutsumi, S. Yoshimoto, K. Itaya, O. Ito, K. Fujiwara, M. Murata, Y. Murata, and K. Komatsu, *Langmuir*, **2004**, *20*, 1245-1250.

- 191) Controlled Molecular Orientation in the Adlayer on Au(111) of Supramolecular Assembly Consisting of Open-Cage C<sub>60</sub> Derivative and Zn(II) Octaethylporphyrin.  
 S. Yoshimoto, E. Tsutsumi, Y. Honda, Y. Murata, M. Murata, K. Komatsu, O. Ito, and K. Itaya, *Angew. Chem. Int. Ed.*, **2004**, *43*, 3044-3047.
- 192) Solvent-free Reactions of C<sub>60</sub> with Active Methylene Compounds Either with or without Carbon Tetrabromide in the Presence of Bases under High-Speed Vibration Milling Conditions.  
 T-H. Zhang, G-W. Wang, P. Lu, Y-J. Li, R-F. Peng, Y-C. Liu, Y. Murata, and K. Komatsu, *Org. Biomol. Chem.*, **2004**, *2*, 1698-1702.
- 193) Dissociative Electron Attachment of Singly Bonded [60]Fullerene Dimer Studied by Laser Flash Photolysis.  
 H. Luo, Y. Araki, M. Fujitsuka, O. Ito, F. Cheng, Y. Murata, and K. Komatsu, *J. Phys. Chem. B*, **2004**, *108*, 11915-11920.
- 194) Characterization of Low-Mass Model 3-ArmStars Produced in Reversible Addition-Fragmentation Chain Transfer (RAFT) Process.  
 Y. Kwak, A. Goto, K. Komatsu, Y. Sugiura, and T. Fukuda, *Macromolecules*, **2004**, *37*, 4434-4440.
- 195) Generation of Fulleranyl Cation (EtO)<sub>2</sub>P<sup>+</sup>(OH)CH<sub>2</sub>-C<sub>60</sub><sup>+</sup> from R-C<sub>60</sub>-H and from R-C<sub>60</sub>-C<sub>60</sub>-R (R=CH<sub>2</sub>P(O)(OEt)<sub>2</sub>).  
 Y. Murata, F. Cheng, T. Kitagawa, and K. Komatsu, *J. Am. Chem. Soc.*, **2004**, *126*, 8874-8875.
- 196) Spin-Localized Cyclopentadienyl Radical Annulated with Homoadamantene Frameworks: Isolation, X-ray Crystal Structure, and ESR Characterization.  
 T. Kitagawa, K. Ogawa, and K. Komatsu, *J. Am. Chem. Soc.*, **2004**, *126*, 9930-9931.
- 197) The EPR Study of Radical Reactions of C<sub>60</sub> Dimer Connected by a Silicon Bridge and Single Bond (C<sub>60</sub>SiPh<sub>2</sub>C<sub>60</sub>).  
 B. L. Tumanskii, O. G. Kalina, V. I. Sokolov, and K. Komatsu, *Chem. Phys. Lett.*, **2004**, *395*, 157-160.
- 198) Radical Cation of Dibenzothiophene Fully Annulated with Bicyclo[2.2.2]octene Units: X-ray Crystal Structure and Electronic Properties.  
 D. Yamazaki, T. Nishinaga, and K. Komatsu, *Org. Lett.*, **2004**, *6*, 4179-4182.
- 199) Novel Cyclooctatetraene Radical Cation Planarized by Full Annelation with Bicyclo[2.1.1]hexene Units.  
 T. Nishinaga, T. Uto, and K. Komatsu, *Org. Lett.*, **2004**, *6*, 4611-4613.
- 200) Synthesis and Electrolytic Polymerization of the Ethylenedioxy-Substituted Terthiophene-Fullerene Dyad.  
 T. Yamazaki, Y. Murata, K. Komatsu, K. Furukawa, M. Morita, N. Maruyama, T. Yamao, and S. Fujita, *Org. Lett.*, **2004**, *6*, 4865-4868.
- 201) Synthesis and Properties of Open-Cage Fullerene C<sub>70</sub> Derivatives.

- Y. Murata, S. Maeda, M. Murata, and K. Komatsu, *Fullerenes (Fullerenes and Nanotubes Materials for the New Chemical Frontier)*, **2004**, *14*, 267-274.
- 202) Organic Functionalization of C<sub>60</sub> Toward the Synthesis of Endohedral Fullerene Complexes.  
K. Komatsu, Y. Murata, M. Murata, and H. Sawa, *Fullerenes (Fullerenes and Nanotubes Materials for the New Chemical Frontier)*, **2004**, *14*, 275-281.
- 203) Generation and Aromaticity of 2-Silaimidazolium Ion, a New π-Conjugated Silylum Ion.  
S. Ishida, T. Nishinaga, R. West, and K. Komatsu, *Chem. Commun.*, **2005**, 778-780.
- 204) Helium Entry and Escape through a Chemically Opened Window in a Fullerene.  
C. M. Stanisky, R. J. Cross, M. Saunders, M. Murata, Y. Murata, K. Komatsu, *J. Am. Chem. Soc.*, **2005**, *127*, 299-302.
- 205) Encapsulation of Molecular Hydrogen in Fullerene C<sub>60</sub> by Organic Synthesis.  
K. Komatsu, M. Murata, and Y. Murata, *Science*, **2005**, *307*, 238-240.
- 206) Synthesis and Structural, Electronic, and Optical Properties of Oligo(thienylfuran)s in Comparison with Oligothiophenes and Oligofurans.  
Y. Miyata, T. Nishinaga, and K. Komatsu, *J. Org. Chem.*, **2005**, *70*, 1147-1153.
- 207) Generation and Properties of a Novel Alkylated C<sub>70</sub> Cation.  
T. Kitagawa, Y. Lee, N. Masaoka, and K. Komatsu, *Angew. Chem. Int. Ed.*, **2005**, *44*, 1398-1401.
- 208) Floating Single Hydrogen Molecule in an Open-Cage Fullerene.  
H. Sawa, Y. Wakabayashi, Y. Murata, M. Murata, and K. Komatsu, *Angew. Chem. Int. Ed.*, **2005**, *44*, 1981-1983.
- 209) The First Isolation of 1,3-Diaza-2-sila-4-cyclopentene Radical Cation Salt: The X-ray Structure and Electronic Properties.  
S. Ishida, T. Nishinaga, and K. Komatsu, *Chem Lett.*, **2005**, *34*, 486-487.
- 210) MALDI-Fourier Transform Mass Spectrometric and Theoretical Studies of Donor-Acceptor and Donor-Bridge-Acceptor Fullerenes.  
V. E. Frankevich, M. Dashtiev, R. Zenobi, T. Kitagawa, Y. Lee, Y. Murata, T. Yamazaki, Y. Gao, K. Komatsu, and J. M. Oliva, *Phys. Chem. Chem. Phys.*, **2005**, *7*, 1036-1042.
- 211) [60]Fullerene Adducts with 9-Substituted Anthracenes: Mechanochemical Preparation and Retro Diels-Alder Reaction.  
G-W. Wang, A-X. Chen, Y. Murata, and K. Komatsu, *Tetrahedron*, **2005**, *61*, 4851-4856.
- 212) Dependence of Molecular Recognition of Fullerene Derivative on the Adlayer Structure of Zinc Octaethylporphyrin Formed on Au(100) Surface.

S. Yoshimoto, Y. Honda, Y. Murata, M. Murata, K. Komatsu, O. Ito, and K. Itaya, *J. Phys. Chem. B*, **2005**, *109*, 8547-8550.

- 213) Calix[5]arene-based Receptor for Dumbbell-Shaped C<sub>120</sub>.  
T. Haino, J. Seyama, C. Fukunaga, Y. Murata, K. Komatsu, and Y. Fukazawa, *Bull. Chem. Soc. Jpn.*, **2005**, *78*, 768-770.
- 214) Study of Photoinduced Electron Transfer between [60]Fullerene and Proton-sponge by Laser Flash Photolysis: Addition Effects of Organic Acid.  
R. Horie, Y. Araki, O. Ito, Y. Lee, T. Kitagawa, and K. Komatsu, *J. Phys. Chem. A*, **2005**, *109*, 6140-6146.
- 215) A Naphthalene with Unusual Bond Alternation Made by Annulation with Bicyclo[2.1.1]hexene Units: Aromaticity and Reactivity.  
T. Uto, T. Nishinaga, A. Matsuura, R. Inoue, and K. Komatsu, *J. Am. Chem. Soc.*, **2005**, *127*, 10162-10163.
- 216) Synthesis and Structure of a New Silver(I) Salt of the Tetrakis(pentafluorophenyl)borate Anion with Novel Tris  $\eta^1$ -benzene Coordination  
K. Ogawa, T. Kitagawa, S. Ishida and K. Komatsu, *Organometallics*, **2005**, *24*, 4842-4844.
- 217) Inelastic Light Scattering of Hydrogen Containing Open-Cage Fullerene ATOCF.  
P. M. Rafailov, C. Thomsen, A. Bassil, K. Komatsu, and W. Basca, *Phys. Sts. Sol. (b) Rapid Res. Lett.*, **2005**, *242*, R106-R108.
- 218) Solvent-Free Synthesis of Dihydrofuran-Fused [60]Fullerene Derivatives by High-Speed Vibration Milling.  
X. Cheng, G-W. Wang, Y. Murata, and K. Komatsu, *Chinese Chem. Lett.*, **2005**, *16*, 1327-1329.
- 219) Organic and Organometallic Derivatives of Dihydrogen-Encapsulated [60]Fullerene.  
Y. Matsuo, H. Isobe, T. Tanaka, Y. Murata, M. Murata, K. Komatsu, and E. Nakamura, *J. Am. Chem. Soc.*, **2005**, *127*, 17148-17149.
- 220) Photoinduced Charge Separation and Charge Recombination in Terthiophene-Acetylene-Fullerene Linked Dyads.  
T. Nakamura, Y. Araki, O. Ito, Y. Murata, and K. Komatsu, *J. Photochem. Photobiol. A: Chem.*, **2006**, *178*, 242-250.
- 221) Rigid Molecular Tripod with an Adamantane Framework and Thiol Legs. Synthesis and Observation of an Ordered Monolayer on Au(111).  
T. Kitagawa, Y. Idomoto, H. Matsubara, D. Hobara, T. Kakiuchi, T. Okazaki, and K. Komatsu, *J. Org. Chem.*, **2006**, *71*, 1362-1369.
- 222) Synthesis, X-ray, and DFT Study of the Double-Bond Pyramidalization in 1,7,8,9-Tetraphenyl-4,10,10-trimethyl-4-aza-10-silatricyclo[5.2.1.0<sup>2,6</sup>]deca-8-ene-3,5-dione and Its Germanium Analogue.

- D. Margetic, Y. Murata, K. Komatsu, and M. Eckert-Maksic, *Organometallics*, **2006**, 25, 111-117.
- 223) Alkyl Chain Length Dependent Mobility of Organic Field-Effect Transistors Based on Thienyl-Furan Oligomers Determined by Transfer Line Method.  
T. Minari, Y. Miyata, M. Terayama, T. Nemoto, T. Nishinaga, K. Komatsu, and S. Isoda, *Appl. Phys. Lett.*, **2006**, 88, 0835141-0835143.
- 224) Cryogenic NMR Spectroscopy of Endohedral Hydrogen–Fullerene Complexes.  
M. Carravetta, O. G. Johannessen, M. H. Levitt, I. Heinmaa, R. Stern, A. Samoson, A. J. Horsewill, Y. Murata, and K. Komatsu, *J. Chem. Phys.*, **2006**, 124, 104507/1-104507/13.
- 225) Synthesis and Properties of Endohedral C<sub>60</sub> Encapsulating Molecular Hydrogen.  
M. Murata, Y. Murata, and K. Komatsu, *J. Am. Chem. Soc.*, **2006**, 128, 8024-8033.
- 226) Terthiophene Radical Cations End-Capped by Bicyclo[2.2.2]octane Units: Formation of Bent π-Dimers Mutually Attracted at the Central Position.  
D. Yamazaki, T. Nishinaga, N. Tanino, and K. Komatsu, *J. Am. Chem. Soc.*, **2006**, 128, 14470-14471.
- 227) Nuclear Relaxation of H<sub>2</sub> and H<sub>2</sub>@C<sub>60</sub> in Organic Solvents.  
E. Sartori, M. Ruzzi, N. J. Turro, J. D. Decatur, D. C. Doetschman, R. G. Lawler, A. L. Buchachenko, Y. Murata, and K. Komatsu, *J. Am. Chem. Soc.*, **2006**, 128, 14752-14753.
- 228) Fine Tuning of the Orifice Size of an Open-Cage Fullerene by Placing Selenium in the Rim: Insertion/Release of Molecular Hydrogen.  
S-C. Chuang, Y. Murata, M. Murata, S. Mori, S. Maeda, F. Tanabe, and K. Komatsu, *Chem. Commun.*, **2007**, 1278-1280.
- 229) Epitaxial Supramolecular Assembly of Fullerenes Formed by Using Coronene Template on Au(111) Surface in Solution.  
S. Yoshimoto, E. Tsutsumi, R. Narita, Y. Murata, M. Murata, K. Fujiwara, K. Komatsu, O. Ito, and K. Itaya, *J. Am. Chem. Soc.*, **2007**, 129, 4366-4376.
- 230) Calculations of the Optical Spectra of Hydrocarbon Radical Cations based on Koopmans' Theorem.  
S. F. Nelsen, M. N. Weaver, D. Yamazaki, K. Komatsu, R. Rathore, and T. Bally, *J. Phys. Chem. A*, **2007**, 111, 1667-1676.
- 231) Electrochemistry of an Open-Cage Fullerene Embedded in a Film of Hydrophobic Ammonium Ion on an Electrode.  
K. Watanabe, M. Komatsu, Y. Niidome, M. Murata, Y. Murata, K. Komatsu, and N. Nakashima, *J. Phys. Chem.-C*, **2007**, 111, 6500-6504.
- 232) The Outside Knows the Difference Inside: Trapping Helium by Immediate Reduction of Orifice Size of an Open-Cage Fullerene and the Effect of Encapsulated Helium and Hydrogen upon the NMR of Proton Directly Attached to the Outside.

S-C. Chuang, Y. Murata, M. Murata, and K. Komatsu, *Chem. Commun.*, **2007**, 1751-1753.

233) An Orifice-Size Index for Open-Cage Fullerenes.

S-C. Chuang, Y. Murata, M. Murata, and K. Komatsu, *J. Org. Chem.*, **2007**, 72, 6447-6453.

234) Synthesis of Fluorinated anti-Fluorenacenedione and the Structural, Electronic, and Field-Effect Properties.

Y. Miyata, T. Minari, T. Nemoto, S. Isoda, and K. Komatsu, *Org. Biomol. Chem.*, **2007**, 5, 2592-2598.

235) Efficient Synthesis of Open-Cage Fullerene Derivatives Having 16-Membered-Ring Orifices.

M. M. Roubelakis, Y. Murata, K. Komatsu, and M. Orfanopoulos, *J. Org. Chem.*, **2007**, 72, 7042-7045.

236) Can H<sub>2</sub> Inside C<sub>60</sub> Communicate with the Outside World?

J. López-Gejo, A. A. Martí, M. Ruzzi, S. Jockusch, K. Komatsu, Y. Murata, and N. J. Turro, *J. Am. Chem. Soc.*, **2007**, 129, 14554-14555.

237) Synthesis of Oligo(thienylfuran)s with Thiophene Rings at Both Ends and Their Structural, Electronic, and Field Effect Properties.

Y. Miyata, M. Terayama, T. Minari, T. Nishinaga, T. Nemoto, S. Isoda, and K. Komatsu, *Chem. Asian J.*, **2007**, 2, 1492-1504.

238) Internal Magnetic Fields of Dianions of Fullerene C<sub>60</sub> and Its Cage-Opened Derivatives Studied by Encapsulated H<sub>2</sub> as an NMR Probe.

M. Murata, Y. Ochi, F. Tanabe, K. Komatsu, and Y. Murata, *Angew. Chem. Int. Ed.*, **2008**, 47, 2039-2041.

239) Antiaromaticity and Reactivity of a Planar Cyclooctatetraene Fully Annelated with Bicyclo[2.1.1]hexane Units.

T. Nishinaga, T. Uto, R. Inoue, A. Matsuura, N. Treitel, M. Rabinovitz, and K. Komatsu, *Chem. Eur. J.*, **2008**, 14 (7), 2067-2074.

240) Paramagnet Enhanced Nuclear Relaxation of H<sub>2</sub> in Organic Solvents and in H<sub>2</sub>@C<sub>60</sub>.

E. Sartori, M. Ruzzi, N. J. Turro, K. Komatsu, Y. Murata, R. G. Lawler, and A. L. Buchachenko, *J. Am. Chem. Soc.*, **2008**, 130 (7), 2221-2225.

241) Encapsulation and Dynamic Behavior of Two H<sub>2</sub> Molecules in an Open-Cage C<sub>70</sub>.

Y. Murata, S. Maeda, M. Murata, and K. Komatsu, *J. Am. Chem. Soc.*, **2008**, 130 (21), 6702-6703.

242) Generation and Reaction of a Phenyl-Substituted Cyclopentadienyl Cation Annelated with Two Homoadamantene Frameworks.

K. Ogawa, T. Kitagawa, S. Minegishi, and K. Komatsu, *J. Org. Chem.*, **2008**, 73 (14), 5248-5254.

- 243) NMR Studies on Monofunctionalized Fulleranyl Cation and Anion Encapsulating a H<sub>2</sub> Molecule.  
M. Murata, Y. Ochi, T. Kitagawa, K. Komatsu, and Y. Murata, *Chem. Asian J.*, **2008**, *3*, 1336-1342.
- 244) Demonstration of a Chemical Transformation Inside a Fullerene. The Reversible Conversion of the Allotropes of H<sub>2</sub>@C<sub>60</sub>.  
N. J. Turro, A. A. Martí, J. Y.-C. Chen, S. Jockusch, R. G. Lawler, M. Ruzzi, E. Sartori, S-C. Chuang, K. Komatsu, and Y. Murata, *J. Am. Chem. Soc.*, **2008**, *130* (32), 10506-10507.
- 245) Synthesis and Reaction of Fullerene C<sub>70</sub> Encapsulating Two Molecules of H<sub>2</sub>.  
M. Murata, S. Maeda, Y. Morinaka, Y. Murata, and K. Komatsu, *J. Am. Chem. Soc.*, **2008**, *130* (47), 15800-15801.
- 246) Quantum Translator-Rotator: Inelastic Neutron Scattering of Dihydrogen Molecules Trapped inside Anisotropic Fullerene Cages.  
A. J. Horsewill, K. S. Panesar, S. Rols, M. R. Johnson, Y. Murata, K. Komatsu, S. Mamone, A. Danquigny, S. Maltsev, M. C. Grossel, M. Caravetta, and M. H. Levitt, *Phys. Rev. Lett.*, **2009**, *102*, 013001-1 – 013001-4 (January).
- 247) Rotor in a Cage: Infrared Spectroscopy of an Endohedral Hydrogen-Fullerene Complex.  
S. Mamone, Min Ge, D. Huvonen, U. Nagel, A. Danquigny, F. Cuda, M. C. Grossel, Y. Murata, K. Komatsu, M. H. Levitt, T. Room, and M. Caravetta, *J. Chem. Phys.*, **2009**, *130* (8), 081103-1 – 081103-4,
- 248) Rigid Alicyclic Molecules from Bicyclo[2.2.1]hept-2-enes (1/48,9,10-Trinorbornenes) and 1,4-Dipyridin-2-ylphthalazines as Stereoselective Coupling Agents  
Rigid Alicyclic Molecules from Bicyclo[2.2.1]hept-2-enes (1/48,9,10-Trinorbornenes) and 1,4-Dipyridin-2-ylphthalazines as Stereoselective Coupling Agents.  
D. Margetic, Y. Murata, K. Komatsu, and Z. Marinic, *Helv. Chim. Acta*, **2009**, *92*, 298-312.
- 249) Rotational Sublevels of an Ortho-Hydrogen Molecule Encapsulated in an Isotropic C<sub>60</sub> Cage.  
Y. Kohama, T. Rachi, J. Jing, A. Li, J. Tang, R. Kumashiro, S. Izumisawa, H. Kawaji, T. Ataka, H. Sawa, Y. Murata, K. Komatsu, and K. Tanigaki, *Phys. Rev. Lett.*, **2009**, *103*, 073001-1 - 073001-4.
- 250) A Magnetic Switch for Spin Catalyzed Interconversion of Nuclear Spin Isomers.  
Y. Li, X. Lei, S. Jockusch, J. Y.-C. Chen, M. Frunzi, J. A. Johnson, R. G. Lawler, Y. Murata, M. Murata, K. Komatsu, and N. J. Turro, *J. Am. Chem. Soc.*, **2010**, *132* (12), 4042-4043.
- 251) Reaction of Cage-opened Fullerene Derivative with Grignard Reagents and Subsequent Transannular Cyclization.  
M. Murata, Y. Morinaka, K. Kurotobi, K. Komatsu, and Y. Murata, *Chem. Lett.*, **2010**, *39*(3), 298-299.

- 252) Synthesis and Properties of Octithiophene Dication Sterically Segregated by Annelation with Bicyclo[2.2.2]octene Units.  
 T. Nishinaga, D. Yamazaki, M. Tateno, M. Iyoda, and K. Komatsu, *Materials*, **2010**, 3(3), 2037-2052.
- 253) Magnetic Interaction of Solution-State Paramagnets with Encapsulated H<sub>2</sub>O and H<sub>2</sub>.  
 M. Frunzi, X. Lei, Y. Murata, K. Komatsu, S. Iwamatsu, S. Murata, R. Lawler, and N. Turro, *J. Phys. Chem. Lett.*, **2010**, 1(4), 1420-1422.
- 254) Rational Synthesis, Enrichment, and <sup>13</sup>C NMR Spectra of Endohedral C<sub>60</sub> and C<sub>70</sub> Encapsulating a Helium Atom.  
 Y. Morinaka, F. Tanabe, M. Murata, Y. Murata, and K. Komatsu, *Chem. Commun.*, **2010**, 46, 4532-4534.
- 255) Distance-dependent Paramagnet Enhanced Nuclear Spin Relaxation of H<sub>2</sub>@C<sub>60</sub> Derivatives Covalently Linked to a Nitroxide Radical.  
 Y. Li, X-G. Lei, R. Lawler, Y. Murata, K. Komatsu, and N. J. Turro, *J. Phys. Chem. Lett.*, **2010**, 1(6), 2135-2138.
- 256) Inelastic Neutron Scattering of a Quantum Translator-Rotator Encapsulated in a Closed Fullerene Cage: Isotope Effects and Translation-Rotation Coupling in H<sub>2</sub>@C<sub>60</sub> and HD@C<sub>60</sub>.  
 A. J. Horsewill, S. Rols, M. R. Johnson, Y. Murata, M. Murata, K. Komatsu, M. Caravetta, S. Mamone, S.; M. H. Levitt, J. Y-C. Chen, J. A. Johnson, X. Lei, and N. J. Turro, *Phys. Rev. B*, **2010**, 82 (8), 081410 (4 pages).
- 257) Comparative NMR Properties of H<sub>2</sub> & HD in Toluene-d<sub>8</sub> and in H<sub>2</sub>/HD@C<sub>60</sub>.  
 J. Chen, A. Marti, N. Turro, K. Komatsu, Y. Murata, and R. Lawler, *J. Phys. Chem. B*, **2010**, 114, 14689-14695.
- 258) Interaction potential and infrared absorption of endohedral H<sub>2</sub> in C<sub>60</sub>.  
 M. Ge, U. Nagel, D. Huvonen, T. Room, S. Mamone, M. H. Levitt, M. Caravetta, Y. Murata, K. Komatsu, J. Y.-C. Chen, and N. J. Turro, *J. Chem. Phys.*, **2011**, 134, 054507-1 - 054507-13.
- 259) Cyclobutadieneiron Tricarbonyl Annelated with Homoadamantene Frameworks.  
 S. Minegishi, K. Komatsu, and T. Kitagawa, *Organometallics*, **2011**, 30, 1002-1007.
- 260) Synthesis and Characterization of Bispyrrolidine Derivatives of H<sub>2</sub>@C<sub>60</sub>: Differentiation of Isomers Using <sup>1</sup>H NMR Spectroscopy of Endohedral H<sub>2</sub>.  
 Y. Li, X. Lei, R. G. Lawler, Y. Murata, K. Komatsu, and N. J. Turro, *Chem. Commun.*, **2011**, 47 (8), 2282 – 2284.
- 261) Allyl-Radical Nature of a Phenylcyclopentadienyl Radical Annelated with Two Homoadamantene Frameworks.  
 K. Ogawa, K. Komatsu, and T. Kitagawa, *J. Org. Chem.*, **2011**, 76, 6095-6100.
- 262) Distance-dependent *Para*-H<sub>2</sub>→*Ortho*-H<sub>2</sub> Conversion in H<sub>2</sub>@C<sub>60</sub> Derivatives Covalently Linked to a Nitroxide Radical.

Y. Li, X. Lei, R. Lawler, Y. Murata, K. Komatsu, and N. Turro, *J. Phys. Chem. Lett.*, **2011**, 2, 741-744.

- 263) A Photochemical On-Off Switch for Tuning the Equilibrium Mixture of H<sub>2</sub> Nuclear Spin Isomers as a Function of Temperature.  
M. Frunzi, S. Jockusch, J. Y.-C. Chen, R. Calderon, X. Lei, Y. Murata, K. Komatsu, D. Guldi, R. Lawler, N. Turro, *J. Am. Chem. Soc.*, **2011**, 133, 14232-14235.
- 264) Infrared spectroscopy of endohedral HD and D<sub>2</sub> in C<sub>60</sub>.  
M. Ge, U. Nagel, D. Huvonen, T. Room, S. Mamone, M. Levitt, M. Caravetta, Y. Murata, K. Komatsu, X. Lei, and N. Turro, *J. Chem. Phys.*, **2011**, 135 (11), 114511(10pages).
- 265) Synthesis and Characterization of the Fullerene-Terthiophene Dyads.  
A. Han, J. Bai, Y. Murata, and K. Komatsu, *Heteroatom Chem.*, **2011**, 22, 72-78.

#### 総説、解説、ならびに著書

- 1) Stable Carbocations Having the Intramolecular Charge-Transfer Interaction.  
K. Komatsu, *J. Synth. Org. Chem. Jpn.*, **1987**, 45, 850.
- 2) Switching between Carbon-Carbon Covalent and Ionic Bonds.  
K. Takeuchi and K. Komatsu, *Chem. and Chem. Industry*, **1989**, 42, 1008.
- 3) Synthesis and Properties of Hydrocarbon Salts and Ionically Dissociative Hydrocarbons.  
T. Kitagawa, K. Takeuchi, K. Komatsu, and T. Kinoshita, *J. Synth. Org. Chem., Jpn.*, **1992**, 50, 746.
- 4) The Chemistry of Cyclic  $\pi$ -Systems Surrounded by Rigid  $\sigma$ -Frameworks : Blending a  $\sigma$ -Flavor into the Aromatics.  
K. Komatsu, *Pure and Appl. Chem.*, **1993**, 65, 73-80.
- 5) Organochemical Application of Fullerene.  
K. Komatsu, *Nikkei Science*, **1994**, 24, 6-9.
- 6) Cyclopropenylum-Ion Salts.  
K. Komatsu and Z. Yoshida, *Houben-Weyl, Methods of Organic Chemistry (Methoden der Organischen Chemie)*, Vol. E17d, Thieme Verlag, Stuttgart, **1996**, 3079-3192.
- 7) Synthesis and Properties of Cyclic  $\pi$ -Conjugated Hydrocarbons Surrounded by Rigid  $\sigma$ -Frameworks — The Effects of C-C Hyperconjugation.  
K. Komatsu, *J. Synth. Org. Chem. Jpn.*, **1996**, 54, 868-878.

- 8) The Organic Chemistry of Fullerene.  
K. Komatsu, *SUT Bulletin*, **1997**, 14 (12), 29-33.
- 9) Dumbbell-Shaped Fullerene.  
K. Komatsu, *Kagaku (Chemistry)*, **1998**, 53 (3), 14-16.
- 10) Synthesis and X-Ray Structure Determination of the Dumbbell-Shaped Fullerene Dimer C<sub>120</sub>.  
K. Komatsu and M. Shiro, *Rigaku-Denki Journal*, **1998**, 29, 3-8.
- 11) Synthesis and Structural Determination of Fullerene Dimer C<sub>120</sub>; Creation of Bucky Dumbbell.  
K. Komatsu, G-W. Wang, M. Shiro, Y. Murata, and T. Tanaka, *Kagaku to Kougyou (Chemistry and Chemical Industry)*, **1998**, 51, 774-776.
- 12) Cyclic π-Conjugated Systems Annelated with Bicycloalkene Frameworks.  
K. Komatsu, *Eur. J. Org. Chem.*, **1999**, 1495-1502.
- 13) Separation of Fullerenes with Non-aqueous Capillary Electrophoresis.  
T. S. M. Wan, G. N. W. Leung, T. S. C. Tso, K. Komatsu, and Y. Murata, *Separation of Fullerenes by Liquid Chromatography*, Ed. K. Jinno, the Royal Society of Chemistry, Cambridge, **1999**, 161-176.
- 14) Carbocations, Carbanions.  
K. Komatsu, *Daigakuinkougi Yuukikagaku*, Vol. 1, Tokyo Kagaku Dojin, Tokyo, **1999**, 65-81.
- 15) Fullerene Dimers; Nucleophilic Addition to Fullerenes.  
K. Komatsu, *Chemistry of Fullerenes*, Kikan Kagaku Sosetsu, **1999**, 42-47, 85-93.
- 16) Mechanochemistry: Application to the Chemistry of Fullerenes.  
Y. Murata and K. Komatsu, *Kikan Fullerene*, **2000**, 8 (No. 2), 137-151.
- 17) Organic Chemistry of Fullerenes: A Fascinating Molecule, C<sub>60</sub>.  
K. Komatsu and Y. Murata, *Chemistry Today*, **2000**, No. 351, 46-53.
- 18) Organic Reactions without Solvent.  
K. Komatsu, *New Trends in Organic Synthesis*, Kikan Kagaku Sosetsu, No. 47, **2000**, 163-175.
- 19) Cyclic π-Conjugated Systems Annelated with Bicyclo[2.2.2]octene: Synthesis, Structures, and Properties.  
K. Komatsu, *Bull. Chem. Soc. Jpn. (Accounts)*, **2001**, 74, 407-419.
- 20) The Solid-State Reaction of Fullerene Using the Mechanochemical High-speed Vibration Milling.  
K. Komatsu, *Future Materials Produced by Modern Techniques*, Kuba Pro, **2001**, 98-111.

- 21) Organic Chemistry of Fullerenes – Toward the Synthesis of Novel Materials with Nano-structure.  
K. Komatsu, *Petrotech*, **2002**, 25, 753-757.
- 22) Cyclopropenylum Cations, Cyclopropenones and Heteroanalogs – Recent Advances.  
K. Komatsu and T. Kitagawa, *Chem. Rev.*, **2003**, 103, 1371-1427.
- 23) Encapsulation of Molecular Hydrogen in Fullerene by the Technique of Organic Chemistry.  
K. Komatsu and Y. Murata, *Bio Medical Quick Review Net*, **2003** (No. 2), 1-6.
- 24) Synthesis of Open-Cage Fullerene by Structural Transformation of C<sub>60</sub> and Hydrogen Storage.  
K. Komatsu, *The Journal of Fuel Cell Technology*, **2004**, 3 (No. 3), 43-45.
- 25) A Challenge for Organic Synthesis of Endohedral Fullerenes.  
K. Komatsu and Y. Murata, *Chemistry*, **2004**, 59 (No. 2), 23-28.
- 26) Synthesis of Fullerene Derivatives with Novel Structures – Liquid-Phase versus Solid-State Reactions.  
K. Komatsu and Y. Murata, *J. Synth. Org. Chem. Jpn.*, **2004**, 62, 1138-1147.
- 27) Synthesis and Properties of Cationic π-Conjugated Systems Stabilized by Bicyclo[2.2.2]octene Units.  
K. Komatsu and T. Nishinaga, *Synlett*, **2005**, 187-202.
- 28) Persistent pi Radical Cations: Self-association and Its Steric Control in Condensed Phase.  
T. Nishinaga and K. Komatsu, *Org. Biomol. Chem.*, **2005**, 3, 561-569.
- 29) The Mechanochemical Solid-State Reaction of Fullerenes.  
K. Komatsu, *Top. Curr. Chem.*, **2005**, 254, 185-206.
- 30) A New Route to an Endohedral Fullerene by way of σ-Framework Transformations.  
K. Komatsu and Y. Murata, *Chem. Lett. (Highlight Review)*, **2005**, 34, 886-891.
- 31) フラーレンへの 100%水素貯蔵  
小松紘一、水素利用技術集成、Vol..2、ブックカーズ、**2005**, 223-228.
- 32) First Chemical Synthesis of H<sub>2</sub>@C<sub>60</sub>.  
K. Komatsu, Electronic Properties of Novel Nanostructures, Vol. XIX, AIP, NY, **2005**, 50-55.
- 33) フラーレンの化学反応と応用  
小松紘一、化学フロンティア 15 「ナノカーボンの新展開：世界に挑む日本の先端技術」、化学同人、**2005**, 45-54.
- 34) Fullerene Reactivity —— Fullerene Cations and Open-Cage Fullerenes

T. Kitagawa, Y. Murata, and K. Komatsu; M. M. Haley and R. R. Tykwienski Ed, *Carbon-Rich Compounds — From Molecules to Materials*, Wiley-VCH Verlag, Weinheim, **2006**, 383-420.

- 35) Novel Aromatics Blended with a  $\sigma$ -Flavor.  
K. Komatsu, *Pure & Appl. Chem.* **2006**, 78, 685-697.
- 36) 炭素クラスターC<sub>60</sub>の外科手術  
小松紘一、化学：元素が彩る暮らしこと未来、クバプロ（東京）、**2006**、184-193.
- 37) Super-Stabilization of  $\pi$ -Conjugated Cations by Annulation to Bicyclic Frameworks.  
K. Komatsu, ACS Symposium Series 965 (K. L. Laali Ed; Recent Developments in Carbocation and Onium Ion Chemistry), **2007**, 32-50.
- 38) 水素内包フラーレンの合成と性質  
小松紘一、村田理尚、ナノカーボンハンドブック；遠藤守信、飯島澄男監修；エヌティーエス出版, **2007**; 594-598.
- 39) 分子手術法による内包フラーレンの合成  
小松紘一、村田靖次郎、*Electrochemistry*, **2007**, 75, 824-829.
- 40) Studies on Two- and Three-Dimensional  $\pi$ -Conjugated Systems with Unique Structures and Properties.  
K. Komatsu, *Bull. Chem. Soc. Jpn (Award Accounts)*, **2007**, 80, 2285-2302.
- 41) Surgery of Fullerenes.  
M. Murata, Y. Murata, and K. Komatsu, *Chem. Commun.*, **2008**, 6083-6094.
- 42) The Spin Chemistry and Magnetic Resonance of H<sub>2</sub>@C<sub>60</sub>. From the Pauli Principle to Trapping a Long Lived Nuclear Excited Spin State Inside a Buckyball.  
N. J. Turro, J. Y.-C. Chen, E. Satori, M. Ruzzi, A. Marti, R. Lawler, S. Jockusch, J. Lopez-Gejo, K. Komatsu, and Y. Murata, *Acc. Chem. Res.*, **2010**, 43(2), 335-345.
- 43) 開口フラーレン C-C 結合への硫黄挿入反応、フラーレンの開口反応  
小松紘一、使える！有機合成反応実践ガイド；丸岡啓二ほか編著；化学同人, **2010**, 424-425, 430-431.
- 44) Molecular Surgery toward Organic Synthesis of Endohedral Fullerenes  
M. Murata, Y. Murata, and K. Komatsu; T. Akasaka, F. Wudl, and S. Nagase, Ed, *Chemistry of Nanocarbons*, John Wiley and Sons, **2010**, 215-237.

## 特許

1. Alkylidenediquinocyclopropanes and diarylcyclopropenes.  
West, R. C.; Beyer, D. E.; Komatsu, K.  
7 pp. CODEN: USXXAM US 4133821 19790109  
Application: US 77-777836 19770315. CAN 95:205790 AN 1979: 205790

## CAPLUS

### 2. Cyclopropenium salts.

Okamoto, K.; Komatsu, K.; Tomioka, I.

5 pp. CODEN: JKXXAF JP 56039027 19810414 Showa.

Application: JP 79-114990 19790908. CAN 95:114888 AN 1981:514888

CAPLUS

### 3. Fullerene-containing conducting polymers with good mechanical properties and light resistance,

their manufacture, and organic solar cells.

Murata, Y.; Komatsu, K.; Yamazaki, T.; Fujita, S.

28 pp. CODEN: JKXXAF JP 2004277736 A2 20041007

Application: JP 2004-55245 20040227. Priority: JP 2003-54336 20030228.

CAN 141:317214 AN 2004:816641 CAPLUS

### 4. Fullerene-terthiophene linked compounds showing good solvent solubility and their polymers.

Murata, Y.; Komatsu, K.; Yamazaki, T.; Han, A.; Lin, J..

23 pp. CODEN: JKXXAF JP 2005255591 A2 20050922

CAN 143:307400 AN 2005:1025777 CAPLUS

### 5. Rubber compositions with good dispersibility of fullerenes and high mechanical strength and tires containing them.

Aoki, S.; Takeichi, H.; Toyosawa, S.; Komatsu, K.; Murata, Y.

9 pp. CODEN: JKXXAF JP 2005200641 A2 20050728

CAN 143:154748 AN 2005:671993 CAPLUS

### 6. Production method of endohedral fullerenes encapsulating atoms and molecules and the endohedral fullerenes obtained therefrom.

Komatsu, K.; Murata, Y.; Murata M.

Applied on April 1, 2004.

### 7. Salts of metal cation complexes coordinated by organic ligands and methods for their production.

Kitagawa, T.; Ogawa, K.; Komatsu, K.

Applied on December 28, 2004.